

Anti-Murine B7-1 Antibody

Catalog # ABG10016

Product Information

Application	WB, E
Reactivity	Mouse
Host	Rabbit
Clonality	Polyclonal

Additional Information

Preparation	Produced from sera of rabbits immunized with highly pure recombinant Murine B7-1. Anti-Murine B7-1 specific antibody was purified by affinity chromatography employing an immobilized Murine B7-1 matrix.
WesternBlot	To detect mB7-1 by Western Blot analysis this antibody can be used at a concentration of 0.1- 0.2 µg/ml. Used in conjunction with compatible secondary reagents the detection limit for recombinant mB7-1 is 1.5-3.0 ng/lane, under either reducing or non-reducing conditions.
Sandwich	To detect mB7-1 by sandwich ELISA (using 100 µl/well antibody solution) a concentration of 0.5 - 2.0 µg/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with BioGems' Biotinylated Anti-Murine B7-1 (61-401BT) as a detection antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant mB7-1.
Formulation	A sterile filtered antibody solution was lyophilized from PBS, pH 7.2.
Reconstitution	Centrifuge vial prior to opening. Reconstitute in sterile water to a concentration of 0.1-1.0 mg/ml.
Storage	-20°C
Precautions	Anti-Murine B7-1 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.