

# Anti-Clusterin Antibody

Catalog # ABO12261

## Product Information

---

|                          |                                                                                                     |
|--------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Application</b>       | WB, IHC-P, E                                                                                        |
| <b>Primary Accession</b> | <a href="#">P10909</a>                                                                              |
| <b>Host</b>              | Rabbit                                                                                              |
| <b>Reactivity</b>        | Human                                                                                               |
| <b>Clonality</b>         | Polyclonal                                                                                          |
| <b>Format</b>            | Lyophilized                                                                                         |
| <b>Description</b>       | Rabbit IgG polyclonal antibody for Clusterin(CLU) detection. Tested with WB, IHC-P, ELISA in Human. |

**Reconstitution** Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

## Additional Information

---

|                                 |                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Gene ID</b>                  | 1191                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Other Names</b>              | Clusterin, Aging-associated gene 4 protein, Apolipoprotein J, Apo-J, Complement cytolysis inhibitor, CLI, Complement-associated protein SP-40, 40, Ku70-binding protein 1, NA1/NA2, Testosterone-repressed prostate message 2, TRPM-2, Clusterin beta chain, ApoJalpha, Complement cytolysis inhibitor a chain, Clusterin alpha chain, ApoJbeta, Complement cytolysis inhibitor b chain, CLU, APOJ, CLI, KUB1 |
| <b>Calculated MW</b>            | 52495                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Application Details</b>      | ELISA , 0.1-0.5 µg/ml, Human, -<br>Immunohistochemistry(Paraffin-embedded Section), 0.5-1 µg/ml, Human, By Heat<br>Western blot, 0.1-0.5 µg/ml, Human                                                                                                                                                                                                                                                         |
| <b>Subcellular Localization</b> | Isoform 1: Secreted. Can retrotranslocate from the secretory compartments to the cytosol upon cellular stress.                                                                                                                                                                                                                                                                                                |
| <b>Tissue Specificity</b>       | Detected in blood plasma, cerebrospinal fluid, milk, seminal plasma and colon mucosa. Detected in the germinal center of colon lymphoid nodules and in colon parasympathetic ganglia of the Auerbach plexus (at protein level). Ubiquitous. Detected in brain, testis, ovary, liver and pancreas, and at lower levels in kidney, heart, spleen and lung. .                                                    |
| <b>Source</b>                   | Eukaryota                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Protein Name</b>             | Clusterin                                                                                                                                                                                                                                                                                                                                                                                                     |

|                              |                                                                                                                                                                                                                        |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Contents</b>              | Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na <sub>2</sub> HPO <sub>4</sub> , 0.05mg NaN <sub>3</sub> .                                                                                                             |
| <b>Immunogen</b>             | E. coli-derived human Apolipoprotein J recombinant protein (Position: S228-E449). Human Apolipoprotein J shares 76.1 % and 75.2 % amino acid (aa) sequence identity with mouse and rat Apolipoprotein J, respectively. |
| <b>Purification</b>          | Immunogen affinity purified.                                                                                                                                                                                           |
| <b>Cross Reactivity</b>      | No cross reactivity with other proteins                                                                                                                                                                                |
| <b>Storage</b>               | At -20 °C for one year. After r ° Constitution, at 4 °C for one month. It ° Can also be aliquotted and stored frozen at -20 °C for a longer time.Avoid repeated freezing and thawing.                                  |
| <b>Sequence Similarities</b> | Belongs to the clusterin family.                                                                                                                                                                                       |

## Protein Information

---


|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Name</b>              | CLU ( <a href="#">HGNC:2095</a> )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Function</b>          | <p>[Isoform 1]: Functions as extracellular chaperone that prevents aggregation of non native proteins (PubMed:<a href="#">11123922</a>, PubMed:<a href="#">19535339</a>). Prevents stress-induced aggregation of blood plasma proteins (PubMed:<a href="#">11123922</a>, PubMed:<a href="#">12176985</a>, PubMed:<a href="#">17260971</a>, PubMed:<a href="#">19996109</a>). Inhibits formation of amyloid fibrils by APP, APOC2, B2M, CALCA, CSN3, SNCA and aggregation-prone LYZ variants (in vitro) (PubMed:<a href="#">12047389</a>, PubMed:<a href="#">17407782</a>, PubMed:<a href="#">17412999</a>). Does not require ATP (PubMed:<a href="#">11123922</a>). Maintains partially unfolded proteins in a state appropriate for subsequent refolding by other chaperones, such as HSPA8/HSC70 (PubMed:<a href="#">11123922</a>). Does not refold proteins by itself (PubMed:<a href="#">11123922</a>). Binding to cell surface receptors triggers internalization of the chaperone-client complex and subsequent lysosomal or proteasomal degradation (PubMed:<a href="#">21505792</a>). Protects cells against apoptosis and against cytolysis by complement: inhibits assembly of the complement membrane attack complex (MAC) by preventing polymerization of C9 pore component of the MAC complex (PubMed:<a href="#">2780565</a>, PubMed:<a href="#">1903064</a>, PubMed:<a href="#">2601725</a>, PubMed:<a href="#">2721499</a>, PubMed:<a href="#">1551440</a>, PubMed:<a href="#">9200695</a>, PubMed:<a href="#">34667172</a>). Intracellular forms interact with ubiquitin and SCF (SKP1-CUL1-F-box protein) E3 ubiquitin-protein ligase complexes and promote the ubiquitination and subsequent proteasomal degradation of target proteins (PubMed:<a href="#">20068069</a>). Promotes proteasomal degradation of COMMD1 and IKBKB (PubMed:<a href="#">20068069</a>). Modulates NF-kappa-B transcriptional activity (PubMed:<a href="#">12882985</a>). A mitochondrial form suppresses BAX-dependent release of cytochrome c into the cytoplasm and inhibit apoptosis (PubMed:<a href="#">16113678</a>, PubMed:<a href="#">17689225</a>). Plays a role in the regulation of cell proliferation (PubMed:<a href="#">19137541</a>). An intracellular form suppresses stress-induced apoptosis by stabilizing mitochondrial membrane integrity through interaction with HSPA5 (PubMed:<a href="#">22689054</a>). Secreted form does not affect caspase or BAX- mediated intrinsic apoptosis and TNF-induced NF-kappa-B-activity (PubMed:<a href="#">24073260</a>). Secreted form act as an important modulator during neuronal differentiation through interaction with STMN3 (By similarity). Plays a role in the clearance of immune complexes that arise during cell injury (By similarity).</p> |
| <b>Cellular Location</b> | <p>[Isoform 1]: Secreted. Note=Can retrotranslocate from the secretory compartments to the cytosol upon cellular stress. [Isoform 6]: Cytoplasm. Note=Keeps cytoplasmic localization in stressed and unstressed cell.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Tissue Location</b>   | Detected in blood plasma, cerebrospinal fluid, milk, seminal plasma and colon                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

mucosa. Detected in the germinal center of colon lymphoid nodules and in colon parasympathetic ganglia of the Auerbach plexus (at protein level). Ubiquitous. Detected in brain, testis, ovary, liver and pancreas, and at lower levels in kidney, heart, spleen and lung.


## Background

Clusterin (apolipoprotein J) is a 75 - 80 kDa disulfide-linked heterodimeric protein associated with the clearance of cellular debris and apoptosis. In humans, clusterin is encoded by the CLU gene. This protein has several synonyms: dimeric acidic glycoprotein (DAG protein), testosterone repressed prostate message-2 (TRPM-2), sulfated glycoprotein-2 (SGP-2) and complement lysis inhibitor (CLI). Clusterin was mapped to mouse chromosome 14. Clusterin is a ubiquitously expressed molecule thought to influence a variety of processes including cell death. In the brain, it accumulates in dying neurons following seizures and hypoxic-ischemic (H-I) injury. clusterin may be a new therapeutic target to modulate non-caspase-dependent neuronal death following acute brain injury.

## Images



Anti- Apolipoprotein J Picoband antibody, ABO12261,  
Western blottingAll lanes: Anti Apolipoprotein J  
(ABO12261) at 0.5ug/mlLane 1: SKOV Whole Cell Lysate at  
40ugLane 2: U87 Whole Cell Lysate at 40ugLane 3: PANC  
Whole Cell Lysate at 40ugPredicted bind size:  
52KDObserved bind size: 82KD



Anti- Apolipoprotein J Picoband antibody, ABO12261,  
IHC(P)IHC(P): Human Testis Tissue

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.