

Anti-TWEAKR Rabbit Monoclonal Antibody

Catalog # ABO13844

Product Information

Application	WB, IHC, IP
Primary Accession	Q9NP84
Host	Rabbit
Isotype	Rabbit IgG
Reactivity	Rat, Human, Mouse
Clonality	Monoclonal
Format	Liquid
Description	Anti-TWEAKR Rabbit Monoclonal Antibody . Tested in WB, IHC, IP applications. This antibody reacts with Human, Mouse, Rat.


Additional Information

Gene ID	51330
Other Names	Tumor necrosis factor receptor superfamily member 12A, Fibroblast growth factor-inducible immediate-early response protein 14, FGF-inducible 14, Tweak-receptor, TweakR, CD266, TNFRSF12A, FN14
Calculated MW	13911
Application Details	WB 1:1000-1:2000 IHC 1:50-1:200 IP 1:50
Subcellular Localization	Membrane; Single-pass type I membrane protein.
Tissue Specificity	Highly expressed in heart, placenta and kidney. Intermediate expression in lung, skeletal muscle and pancreas.
Source	Eukaryota
Contents	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Clone Names	Clone: GFF-20
Immunogen	A synthesized peptide derived from human TWEAKR
Purification	Affinity-chromatography
Storage	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.


Protein Information

Name	TNFRSF12A
Synonyms	FN14
Function	Receptor for TNFSF12/TWEAK. Weak inducer of apoptosis in some cell types. Promotes angiogenesis and the proliferation of endothelial cells. May modulate cellular adhesion to matrix proteins.
Cellular Location	Membrane; Single-pass type I membrane protein.
Tissue Location	Highly expressed in heart, placenta and kidney. Intermediate expression in lung, skeletal muscle and pancreas


Images



All lanes use the Antibody at 1:1K dilution for 1 hour at room temperature.




All lanes use the Antibody at 1:1K dilution for 1 hour at room temperature.



All lanes use the Antibody at 1:1K dilution for 1 hour at room temperature.

Western blot analysis of TWEAKR expression in HUVEC cell lysate.



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.