

Anti-MAD2L1BP/Mad2L1 Binding Protein Rabbit Monoclonal Antibody

Catalog # ABO13930

Product Information

Application	WB, IHC, IF, ICC
Primary Accession	Q15013
Host	Rabbit
Isotype	Rabbit IgG
Reactivity	Rat, Human, Mouse
Clonality	Monoclonal
Format	Liquid
Description	Anti-MAD2L1BP/Mad2L1 Binding Protein Rabbit Monoclonal Antibody . Tested in WB, IHC, ICC/IF applications. This antibody reacts with Human, Mouse, Rat.


Additional Information

Gene ID	9587
Other Names	MAD2L1-binding protein, Caught by MAD2 protein, p31(comet), MAD2L1BP, CMT2, KIAA0110
Calculated MW	31052
Application Details	WB 1:500-1:2000 IHC 1:50-1:200 ICC/IF 1:50-1:200
Subcellular Localization	Nucleus. Cytoplasm, cytoskeleton, spindle. During early mitosis, unevenly distributed throughout the nucleoplasm. From metaphase to anaphase, concentrated on the spindle.
Source	Eukaryota
Contents	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Clone Names	Clone: FFO-13
Immunogen	A synthesized peptide derived from human MAD2L1BP
Purification	Affinity-chromatography
Storage	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.


Protein Information

Name	MAD2L1BP
Synonyms	CMT2, KIAA0110
Function	May function to silence the spindle checkpoint and allow mitosis to proceed through anaphase by binding MAD2L1 after it has become dissociated from the MAD2L1-CDC20 complex.
Cellular Location	Nucleus. Cytoplasm, cytoskeleton, spindle. Note=During early mitosis, unevenly distributed throughout the nucleoplasm. From metaphase to anaphase, concentrated on the spindle

Images



Western blot analysis of MAD2L1BP expression in A431 cell lysate.



Immunohistochemical analysis of paraffin-embedded human kidney, using MAD2L1BP Antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.