10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Anti-Cyclin E1 CCNE1 Rabbit Monoclonal Antibody

Catalog # ABO13987

Product Information

Application	WB, IF, ICC
Primary Accession	P24864
Host	Rabbit
Isotype	Rabbit IgG
Reactivity	Human
Clonality	Monoclonal
Format	Liquid
Description	Anti-Cyclin E1 CCNE1 Rabbit Monoclonal Antibody . Tested in WB, ICC/IF applications. This antibody reacts with Human.

Additional Information


Gene ID	898
Other Names	G1/S-specific cyclin-E1, CCNE1, CCNE
Calculated MW	47077
Application Details	WB 1:1000-1:2000 ICC/IF 1:50-1:200
Subcellular Localization	Nucleus.
Tissue Specificity	Highly expressed in testis and placenta. Low levels in bronchial epithelial cells..
Source	Eukaryota
Contents	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Clone Names	Clone: GHB-3
Immunogen	A synthesized peptide derived from human Cyclin E1
Purification	Affinity-chromatography
Storage	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.

Protein Information


Name	CCNE1

Synonyms	CCNE
Function	Essential for the control of the cell cycle at the G1/S (start) transition.
Cellular Location	Nucleus.
Tissue Location	Highly expressed in testis and placenta. Low levels in bronchial epithelial cells.


Images



All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



Western blot analysis of Cyclin E1 expression in HeLa cell lysate.



Immunofluorescent analysis of Hela cells, using Cyclin E1 Antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.