

Anti-IKK alpha+beta CHUK Rabbit Monoclonal Antibody

Catalog # ABO14187

Product Information

Application	WB, IF, ICC, IP
Primary Accession	O15111/O14920
Host	Rabbit
Isotype	Rabbit IgG
Reactivity	Rat, Human, Mouse
Clonality	Monoclonal
Format	Liquid
Description	Anti-IKK alpha+beta CHUK Rabbit Monoclonal Antibody . Tested in WB, ICC/IF, IP applications. This antibody reacts with Human, Mouse, Rat.


Additional Information

Calculated MW	84640 Da
Application Details	WB 1:500-1:1000 ICC/IF 1:50-1:100 IP 1:50
Subcellular Localization	Cytoplasm. Nucleus. Shuttles between the cytoplasm and the nucleus.
Tissue Specificity	Widely expressed.
Contents	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Clone Names	Clone: FCC-3
Immunogen	A synthesized peptide derived from human IKK alpha+beta
Purification	Affinity-chromatography
Storage	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.


Protein Information

Images


All lanes use the Antibody at 1:1K dilution for 1 hour at room temperature.




All lanes use the Antibody at 1:1K dilution for 1 hour at room temperature.




All lanes use the Antibody at 1:3K dilution for 1 hour at room temperature.




Immunofluorescent analysis using the Antibody at 1:50 dilution.




Immunofluorescent analysis using the Antibody at 1:150 dilution.






Immunofluorescent analysis using the Antibody at 1:50 dilution.



Western blot analysis of IKK alpha+beta expression in (1) A431 cell lysate; (2) 293T cell lysate; (3) Mouse kidney lysate.



Immunofluorescent analysis using the Antibody at 1:50 dilution.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.