

Anti-BNP Rabbit Monoclonal Antibody

Catalog # ABO15166

Product Information

Application	WB
Primary Accession	P16860
Host	Rabbit
Isotype	IgG
Reactivity	Human
Clonality	Monoclonal
Format	Liquid
Description	Anti-BNP Rabbit Monoclonal Antibody . Tested in WB application. This antibody reacts with Human.

Additional Information

Gene ID	4879
Other Names	Natriuretic peptides B, Brain natriuretic factor prohormone, preproBNP, BNP(4-32), BNP(4-31), BNP(4-30), BNP(4-29), BNP(4-27), BNP(5-32), BNP(5-31), BNP(5-29), NPPB
Calculated MW	14726
Application Details	WB 1:1000-1:5000
Source	Eukaryota
Contents	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Clone Names	Clone: 17N42
Immunogen	A synthesized peptide derived from human BNP
Purification	Affinity-chromatography
Storage	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.

Protein Information

Name	NPPB
Function	[Brain natriuretic peptide 32]: Cardiac hormone that plays a key role in mediating cardio-renal homeostasis (PubMed: 1672777 , PubMed: 17372040 , PubMed: 1914098 , PubMed: 9458824). May also function as a paracrine antifibrotic factor in the heart (By similarity). Acts by specifically binding and

stimulating NPR1 to produce cGMP, which in turn activates effector proteins that drive various biological responses (PubMed:[1672777](#), PubMed:[17349887](#), PubMed:[17372040](#), PubMed:[21098034](#), PubMed:[25339504](#), PubMed:[9458824](#)). Involved in regulating the extracellular fluid volume and maintaining the fluid- electrolyte balance through natriuresis, diuresis, vasorelaxation, and inhibition of renin and aldosterone secretion (PubMed:[1914098](#), PubMed:[9458824](#)). Binds the clearance receptor NPR3 (PubMed:[16870210](#)).


Cellular Location

[NT-proBNP]: Secreted Note=Detected in blood. [Brain natriuretic peptide 32]: Secreted. Note=Detected in blood.

Tissue Location

[Brain natriuretic peptide 32]: Detected in the cardiac atria (at protein level) (PubMed:2136732, PubMed:2138890) Detected in the kidney distal tubular cells (at protein level) (PubMed:9794555).

Images



Western blot analysis of BNP expression in human plasma lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.