

Anti-SLC9A1 Rabbit Monoclonal Antibody

Catalog # ABO15444

Product Information

Application	WB
Primary Accession	P19634
Host	Rabbit
Isotype	IgG
Reactivity	Human
Clonality	Monoclonal
Format	Liquid
Description	Anti-SLC9A1 Rabbit Monoclonal Antibody . Tested in WB application. This antibody reacts with Human.

Additional Information

Gene ID	6548
Other Names	Sodium/hydrogen exchanger 1, APNH, Na(+)/H(+) antiporter, amiloride-sensitive, Na(+)/H(+) exchanger 1, NHE-1, Solute carrier family 9 member 1, SLC9A1 (HGNC:11071)
Calculated MW	90763
Application Details	WB 1:500-1:2000
Source	Eukaryota
Contents	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Clone Names	Clone: 20S20
Immunogen	A synthesized peptide derived from human Sodium / Hydrogen Exchanger 1
Purification	Affinity-chromatography
Storage	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.

Protein Information

Name	SLC9A1 (HGNC:11071)
Function	Electroneutral Na(+) /H(+) antiporter that extrudes Na(+) in exchange for external protons driven by the inward sodium ion chemical gradient, protecting cells from acidification that occurs from metabolism (PubMed: 11350981 , PubMed: 11532004 , PubMed: 14680478 ,

PubMed:[15035633](#), PubMed:[15677483](#), PubMed:[17073455](#), PubMed:[17493937](#), PubMed:[22020933](#), PubMed:[27650500](#), PubMed:[32130622](#), PubMed:[7110335](#), PubMed:[7603840](#)). Exchanges intracellular H(+) ions for extracellular Na(+) in 1:1 stoichiometry (By similarity). Plays a key role in maintaining intracellular pH neutral and cell volume, and thus is important for cell growth, proliferation, migration and survival (PubMed:[12947095](#), PubMed:[15096511](#), PubMed:[22020933](#), PubMed:[8901634](#)). In addition, can transport lithium Li(+) and also functions as a Na(+)/Li(+) antiporter (PubMed:[7603840](#)). SLC9A1 also functions in membrane anchoring and organization of scaffolding complexes that coordinate signaling inputs (PubMed:[15096511](#)).


Cellular Location

Cell membrane; Multi-pass membrane protein. Basolateral cell membrane {ECO:0000250|UniProtKB:P48762}; Multi-pass membrane protein. Note=Localized basolaterally in every epithelial cell, except in the choroid plexus where SLC9A1 is expressed luminally.

Tissue Location

Kidney and intestine.

Images



Western blot analysis of Sodium / Hydrogen Exchanger 1 expression in MOLT4 cell lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.