

Anti-BRAT1 Rabbit Monoclonal Antibody

Catalog # ABO16450

Product Information

Application	WB, IF, ICC, IP, FC
Primary Accession	Q6PIG6
Host	Rabbit
Isotype	IgG
Reactivity	Human
Clonality	Monoclonal
Format	Liquid
Description	Anti-BRAT1 Rabbit Monoclonal Antibody . Tested in WB, ICC/IF, IP, Flow Cytometry applications. This antibody reacts with Human.

Additional Information

Gene ID	221927
Other Names	BRCA1-associated ATM activator 1, BRCA1-associated protein required for ATM activation protein 1, BRAT1, BAAT1, C7orf27
Calculated MW	88119
Application Details	WB 1:500-1:2000 ICC/IF 1:50-1:200 IP 1:50 FC 1:50
Source	Eukaryota
Contents	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Clone Names	Clone: 29B86
Immunogen	A synthesized peptide derived from human BRAT1
Purification	Affinity-chromatography
Storage	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.

Protein Information

Name	BRAT1 {ECO:0000303 PubMed:25657994, ECO:0000312 HGNC:HGNC:21701}
Function	Component of a multiprotein complex required for the assembly of the RNA

endonuclease module of the integrator complex (PubMed:[39032489](#), PubMed:[39032490](#)). Associates with INTS9 and INTS11 in the cytoplasm and blocks the active site of INTS11 to inhibit the endonuclease activity of INTS11 before formation of the full integrator complex (PubMed:[39032489](#), PubMed:[39032490](#)). Following dissociation of WDR73 of the complex, BRAT1 facilitates the nuclear import of the INTS9-INTS11 heterodimer (PubMed:[39032489](#)). In the nucleus, INTS4 is integrated to the INTS9-INTS11 heterodimer and BRAT1 is released from the mature RNA endonuclease module by inositol hexakisphosphate (InsP6) (PubMed:[39032489](#)). BRAT1 is also involved in DNA damage response; activates kinases ATM, SMC1A and PRKDC by modulating their phosphorylation status following ionizing radiation (IR) stress (PubMed:[16452482](#), PubMed:[22977523](#)). Plays a role in regulating mitochondrial function and cell proliferation (PubMed:[25070371](#)). Required for protein stability of MTOR and MTOR-related proteins, and cell cycle progress by growth factors (PubMed:[25657994](#)).


Cellular Location

Nucleus. Cytoplasm Note=Present at double strand breaks (DSBs)following ionizing radiation treatment. The ubiquitinated form localizes in the nucleus in a NDFIP1- dependent manner.


Tissue Location

Ubiquitously expressed.

Images



Western blot analysis of BRAT1 expression in HeLa cell lysate.



Immunoprecipitate (IP) analysis using the Antibody at 1:50 dilution. (wb at 1:1K dilution)

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.