

Anti-Protein C Tag Antibody

Catalog # ABV12018


Product Information

Application	WB, FC, IP
Host	Mouse
Isotype	Mouse IgG1, κ
Clone Names	2H12F4

Additional Information

Positive Control	WB: Protein C tagged protein transfected CHO cell lysates, IF: Protein C tagged protein transfected CHO cell lysates
Application & Usage	WB: 0.1-0.5 μ g/ml, IP: 1-5 μ g/ml, FC: 1-3 μ g for 1×10^6 cells, ICC/IF: 1-3 μ g/ml, E: 0.001-0.002 μ g/ml.
Other Names	HPC4, Protein C
Target/Specificity	Protein C
Antibody Form	Liquid
Appearance	Colorless liquid
Handling	The antibody solution should be gently mixed before use
Reconstitution & Storage	-20 °C
Background Descriptions	
Precautions	Anti-Protein C Tag Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Images



WB analysis of immunoprecipitates from Protein C tagged protein transfected CHO cell lysates. Lane 1 : Protein C tagged protein transfected CHO cell lysates as input control. Lane 2: Immunoprecipitates of the Protein C tagged protein transfected CHO cell lysates with Protein C Tag Antibody. Lane 3: Immunoprecipitates of the Protein C tagged protein transfected CHO cell lysates with Mouse IgG Control