

CD47

Rabbit Monoclonal antibody(Mab) Catalog # AD80429

Product Information

Application	IHC-P
Primary Accession	<u>Q08722</u>
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal
Clone Names	958B1C3
Calculated MW	35214

Additional Information

Gene ID Gene Name Other Names	961 CD47 Leukocyte surface antigen CD47, Antigenic surface determinant protein OA3, Integrin-associated protein, IAP, Protein MER6, CD47, CD47, MER6
Dilution	IHC-P~~Ready-to-use
Storage	Maintain refrigerated at 2-8°C.
Precautions	CD47 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	CD47
Synonyms Function	MER6 Adhesive protein that mediates cell-to-cell interactions (PubMed: <u>11509594</u> , PubMed: <u>15383453</u>). Acts as a receptor for thrombospondin THBS1 and as modulator of integrin signaling through the activation of heterotrimeric G proteins (PubMed: <u>19004835</u> , PubMed: <u>7691831</u> , PubMed: <u>8550562</u>). Involved in signal transduction, cardiovascular homeostasis, inflammation, apoptosis, angiogenesis, cellular self-renewal, and immunoregulation (PubMed: <u>11509594</u> , PubMed: <u>15383453</u> , PubMed: <u>19004835</u> , PubMed: <u>27742621</u> , PubMed: <u>32679764</u> , PubMed: <u>7691831</u> , PubMed: <u>8550562</u>). Plays a role in modulating pulmonary endothelin EDN1 signaling (PubMed: <u>27742621</u>). Modulates nitrous oxide (NO) signaling, in response to THBS1, hence playing a role as a pressor agent, supporting blood pressure (By similarity). Plays an important role in memory formation and synaptic plasticity in the hippocampus (By similarity). Receptor for SIRPA, binding to which prevents maturation of immature dendritic cells and inhibits cytokine production by mature dendritic cells (PubMed: <u>11509594</u>). Interaction with

	SIRPG mediates cell-cell adhesion, enhances superantigen-dependent T-cell-mediated proliferation and costimulates T-cell activation (PubMed: <u>15383453</u>). Positively modulates FAS-dependent apoptosis in T-cells, perhaps by enhancing FAS clustering (By similarity). Plays a role in suppressing angiogenesis and may be involved in metabolic dysregulation during normal aging (PubMed: <u>32679764</u>). In response to THBS1, negatively modulates wound healing (By similarity). Inhibits stem cell self- renewal, in response to THBS1, probably by regulation of the stem cell transcription factors POU5F1/OCT4, SOX2, MYC/c-Myc and KLF4 (By similarity). May play a role in membrane transport and/or integrin dependent signal transduction (PubMed: <u>7691831</u>). May prevent premature elimination of red blood cells (By similarity).
Cellular Location	Cell membrane; Multi-pass membrane protein
Tissue Location	Very broadly distributed on normal adult tissues, as well as ovarian tumors, being especially abundant in some epithelia and the brain. Macrophages (PubMed:39121194)

Images



前列腺癌

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.