

CD208 antibody

Catalog # AD80576

Product Information

Application IHC-P **09UQV4 Primary Accession** Reactivity Human Host Rabbit Clonality Monoclonal **Clone Names AB208** Calculated MW 44346

Additional Information

27074 Gene ID **Dilution** IHC-P~~N/A

Storage Maintain refrigerated at 2-8°C.

Protein Information

Function

LAMP3 Name

Synonyms DCLAMP, TSC403

Lysosomal membrane glycoprotein which plays a role in the unfolded protein response (UPR) that contributes to protein degradation and cell survival during proteasomal dysfunction (PubMed: <u>25681212</u>). Plays a role in the process of fusion of the lysosome with the autophagosome, thereby modulating the autophagic process (PubMed: 24434718). Promotes

> hepatocellular lipogenesis through activation of the PI3K/Akt pathway (PubMed:29056532). May also play a role in dendritic cell function and in

adaptive immunity (PubMed: 9768752).

Cell surface. Lysosome membrane; Single-pass type I membrane protein. **Cellular Location**

> Cytoplasmic vesicle membrane; Single-pass type I membrane protein. Early endosome membrane; Single-pass type I membrane protein. Note=During dendritic cell maturation, detected on cytoplasmic vesicles (the MHC II compartment) that contain MHC II proteins, LAMP1, LAMP2 and LAMP3 (PubMed:9768752). Detected on lysosomes in mature dendritic cells

(PubMed:9768752).

Detected in tonsil interdigitating dendritic cells, in spleen, lymph node, Peyer's **Tissue Location**

> patches in the small instestine, in thymus medulla and in B-cells (at protein level). Expressed in lymphoid organs and dendritic cells. Expressed in lung. Up-regulated in carcinomas of the esophagus, colon, rectum, ureter, stomach,

breast, fallopian tube, thyroid and parotid tissues

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.