

CD146

Rabbit Monoclonal antibody(Mab)
Catalog # AD80584

Product Information

Application IHC-P
Primary Accession P43121
Reactivity Human
Host Rabbit
Clonality Monoclonal
Clone Names 619I4B5
Calculated MW 71607

Additional Information

Gene ID 4162

Other Names Cell surface glycoprotein MUC18, Cell surface glycoprotein P1H12, Melanoma

cell adhesion molecule, Melanoma-associated antigen A32,

Melanoma-associated antigen MUC18, S-endo 1 endothelial-associated

antigen, CD146, MCAM, MUC18

Dilution IHC-P~~N/A

Storage Maintain refrigerated at 2-8°C.

Protein Information

Name MCAM

Synonyms MUC18

Function Plays a role in cell adhesion, and in cohesion of the endothelial monolayer at

intercellular junctions in vascular tissue. Its expression may allow melanoma cells to interact with cellular elements of the vascular system, thereby enhancing hematogeneous tumor spread. Could be an adhesion molecule active in neural crest cells during embryonic development. Acts as a surface receptor that triggers tyrosine phosphorylation of FYN and PTK2/FAK1, and a

transient increase in the intracellular calcium concentration.

Cellular Location Membrane; Single-pass type I membrane protein.

Tissue Location Detected in endothelial cells in vascular tissue throughout the body. May

appear at the surface of neural crest cells during their embryonic migration. Appears to be limited to vascular smooth muscle in normal adult tissues. Associated with tumor progression and the development of metastasis in human malignant melanoma. Expressed most strongly on metastatic lesions

and advanced primary tumors and is only rarely detected in benign melanocytic nevi and thin primary melanomas with a low probability of

metastasis

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.