

Granzyme B

Rabbit Monoclonal antibody(Mab)
Catalog # AD80599

Product Information

Application IHC-P
Primary Accession P10144
Reactivity Human
Host Rabbit
Clonality Monoclonal
Clone Names 417M1A3
Calculated MW 27716

Additional Information

Gene ID 3002

Other Names Granzyme B, 3.4.21.79, C11, CTLA-1, Cathepsin G-like 1, CTSGL1, Cytotoxic

T-lymphocyte proteinase 2, Lymphocyte protease, Fragmentin-2, Granzyme-2, Human lymphocyte protein, HLP, SECT, T-cell serine protease 1-3E, GZMB {ECO:0000303|PubMed:32188940, ECO:0000312|HGNC:4709}

Dilution IHC-P~~Ready-to-use

Storage Maintain refrigerated at 2-8°C.

Protein Information

Name GZMB {ECO:0000303|PubMed:32188940, ECO:0000312|HGNC:HGNC:4709}

Function Abundant protease in the cytosolic granules of cytotoxic T- cells and NK-cells

which activates caspase-independent pyroptosis when delivered into the

target cell through the immunological synapse (PubMed: 1985927,

PubMed:<u>3262682</u>, PubMed:<u>3263427</u>). It cleaves after Asp (PubMed:<u>1985927</u>, PubMed:<u>8258716</u>). Once delivered into the target cell, acts by catalyzing cleavage of gasdermin-E (GSDME), releasing the pore- forming moiety of

GSDME, thereby triggering pyroptosis and target cell death


(PubMed:31953257, PubMed:32188940). Seems to be linked to an activation cascade of caspases (aspartate-specific cysteine proteases) responsible for apoptosis execution. Cleaves caspase-3, -9 and -10 (CASP3, CASP9 and CASP10, respectively) to give rise to active enzymes mediating apoptosis (PubMed:9852092). Cleaves and activates CASP7 in response to bacterial

infection, promoting plasma membrane repair (By similarity).

Cellular Location Secreted. Cytolytic granule. Note=Delivered into the target cell by perforin

(PubMed:20038786).

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.