

Goat anti-GRIA4, Biotinylated Antibody

Peptide-affinity purified goat antibody Catalog # AF4475a

Product Information

Application	WB, Pep-ELISA
Primary Accession	<u>P48058</u>
Other Accession	NP_000820.3, NP_001070711.1, NP_001070712.1
Reactivity	Human, Mouse, Rat, Bovine
Host	Goat
Clonality	Polyclonal
Clone Names	GRIA4
Calculated MW	100871

Additional Information

Gene ID	2893
Other Names	GRIA4 ; glutamate receptor, ionotrophic, AMPA 4 ; GLUR4; GLUR4C; GLURD; AMPA-selective glutamate receptor 4
Dilution	WB~~1:1000 Pep-ELISA~~N/A
Format	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
Storage	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	Goat anti-GRIA4, Biotinylated Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	GRIA4 {ECO:0000303 PubMed:29220673, ECO:0000312 HGNC:HGNC:4574}
Function	Ionotropic glutamate receptor that functions as a ligand- gated cation channel, gated by L-glutamate and glutamatergic agonists such as alpha-amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid (AMPA), quisqualic acid, and kainic acid (By similarity). L-glutamate acts as an excitatory neurotransmitter at many synapses in the central nervous system and plays an important role in fast excitatory synaptic transmission (By similarity). Binding of the excitatory neurotransmitter L-glutamate induces a conformation change, leading to the opening of the cation channel, and thereby converts the chemical signal to an electrical impulse upon entry of

monovalent and divalent cations such as sodium and calcium. The receptor
then desensitizes rapidly and enters a transient inactive state, characterized
by the presence of bound agonist (By similarity). In the presence of CACNG8,
shows resensitization which is characterized by a delayed accumulation of
current flux upon continued application of L-glutamate (PubMed:21172611).Cellular LocationCell membrane {ECO:0000250|UniProtKB:P19493}; Multi-pass membrane
protein {ECO:0000250|UniProtKB:P19493} Postsynaptic cell membrane
{ECO:0000250|UniProtKB:P19493}; Cell projection, dendrite
{ECO:0000250|UniProtKB:P19493}. Cell projection, dendrite
{ECO:0000250|UniProtKB:P19493}. Postsynaptic cell membrane
{ECO:0000250|UniProtKB:P19493}. Postsynaptic cell membrane
{ECO:0000250|UniProtKB:P42262}; Multi-pass membrane protein
{ECO:0000250|UniProtKB:P42262}

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.