

Goat anti-Cathepsin B Antibody

Peptide-affinity purified goat antibody

Catalog # AF4530a

Product Information

Application	WB, IHC, IF, FC, Pep-ELISA
Primary Accession	P07858
Other Accession	NP_001899.1
Reactivity	Human
Host	Goat
Clonality	Polyclonal
Clone Names	CTSB
Calculated MW	37822

Additional Information

Gene ID	1508
Other Names	CTSB; cathepsin B; APPS; CPSB; APP secretase; amyloid precursor protein secretase; cathepsin B1; cysteine protease
Dilution	WB~~1:1000 IHC~~1:100~500 IF~~1:50~200 FC~~1:10~50 Pep-ELISA~~N/A
Format	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
Immunogen	Reported variants represent identical protein: NP_680091.1, NP_680090.1, NP_680092.1, NP_001899.1, NP_680093.1.
Storage	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	Goat anti-Cathepsin B Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	CTSB
Synonyms	CPSB
Function	Thiol protease which is believed to participate in intracellular degradation and turnover of proteins (PubMed: 12220505). Cleaves matrix extracellular phosphoglycoprotein MEPE (PubMed: 12220505). Involved in the solubilization of cross-linked TG/thyroglobulin in the thyroid follicle lumen (By similarity).

Has also been implicated in tumor invasion and metastasis (PubMed:[3972105](#)).

Cellular Location

Lysosome. Melanosome. Secreted, extracellular space {ECO:0000250|UniProtKB:A1E295}. Apical cell membrane {ECO:0000250|UniProtKB:P10605}; Peripheral membrane protein {ECO:0000250|UniProtKB:P10605}; Extracellular side {ECO:0000250|UniProtKB:P10605}. Note=Identified by mass spectrometry in melanosome fractions from stage I to stage IV (PubMed:17081065) Localizes to the lumen of thyroid follicles and to the apical membrane of thyroid epithelial cells (By similarity) {ECO:0000250|UniProtKB:P10605, ECO:0000269|PubMed:17081065}

Tissue Location

Expressed in the stratum spinosum of the epidermis. Weak expression is detected in the stratum granulosum

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.