

KD-Validated Anti-YES1 Rabbit Monoclonal Antibody

Rabbit monoclonal antibody

Catalog # AGI1494

Product Information

Application	WB, FC, ICC
Primary Accession	P07947
Reactivity	Rat, Human, Mouse
Clonality	Monoclonal
Isotype	Rabbit IgG
Clone Names	23GB4945
Calculated MW	60801
Gene Name	YES1
Aliases	YES1; YES Proto-Oncogene 1, Src Family Tyrosine Kinase; V-Yes-1 Yamaguchi Sarcoma Viral Oncogene Homolog 1; Tyrosine-Protein Kinase Yes; Proto-Oncogene C-Yes; EC 2.7.10.2 4; HsT441; C-Yes; Yes; YES; YES1 Proto-Oncogene, Src Family Tyrosine Kinase; Proto-Oncogene Tyrosine-Protein Kinase YES; Yamaguchi Sarcoma Oncogene; Cellular Yes-1 Protein; EC 2.7.10; P61-YES; P61-Yes; HST441; C-YES
Immunogen	A synthesized peptide derived from human Yes1

Additional Information

Gene ID	7525
Other Names	Tyrosine-protein kinase Yes, 2.7.10.2, Proto-oncogene c-Yes, p61-Yes, YES1, YES

Protein Information

Name	YES1
Synonyms	YES
Function	Non-receptor protein tyrosine kinase that is involved in the regulation of cell growth and survival, apoptosis, cell-cell adhesion, cytoskeleton remodeling, and differentiation. Stimulation by receptor tyrosine kinases (RTKs) including EGFR, PDGFR, CSF1R and FGFR leads to recruitment of YES1 to the phosphorylated receptor, and activation and phosphorylation of downstream substrates. Upon EGFR activation, promotes the phosphorylation of PARD3 to favor epithelial tight junction assembly. Participates in the phosphorylation of specific junctional components such as CTNND1 by stimulating the FYN and FER tyrosine kinases at cell-cell contacts. Upon T-cell stimulation by CXCL12, phosphorylates collapsin response mediator protein 2/DPYSL2 and induces T-cell migration. Participates in CD95L/FASLG signaling pathway and mediates AKT-mediated cell migration. Plays a role in cell cycle progression by phosphorylating the cyclin-dependent kinase 4/CDK4 thus regulating the G1

phase. Also involved in G2/M progression and cytokinesis. Catalyzes phosphorylation of organic cation transporter OCT2 which induces its transport activity (PubMed:[26979622](#)).

Cellular Location

Cell membrane. Cytoplasm, cytoskeleton, microtubule organizing center, centrosome. Cytoplasm, cytosol. Cell junction {ECO:0000250|UniProtKB:Q28923}. Note=Newly synthesized protein initially accumulates in the Golgi region and traffics to the plasma membrane through the exocytic pathway. Localized to small puncta throughout the cytoplasm and cell membrane when in the presence of SNAIL1 (By similarity). {ECO:0000250|UniProtKB:Q28923}

Tissue Location

Expressed in the epithelial cells of renal proximal tubules and stomach as well as hematopoietic cells in the bone marrow and spleen in the fetal tissues. In adult, expressed in epithelial cells of the renal proximal tubules and present in keratinocytes in the basal epidermal layer of epidermis.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.