

TGF-alpha (Transforming Growth Factor alpha) Antibody - With BSA and Azide

Mouse Monoclonal Antibody [Clone SPM357] Catalog # AH10761

Product Information

Application IF, FC
Primary Accession P01135
Other Accession 7039, 170009

Reactivity Human, Mouse, Rat, Bovine

Host Mouse **Clonality** Monoclonal

Isotype Mouse / IgG1, kappa

Clone Names SPM357 Calculated MW 17006

Additional Information

Gene ID 7039

Other Names Protransforming growth factor alpha, Transforming growth factor alpha,

TGF-alpha, EGF-like TGF, ETGF, TGF type 1, TGFA

Application Note IF~~1:50~200 FC~~1:10~50

Format 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G.

Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available

WITHOUT BSA & azide at 1.0mg/ml.

Storage Store at 2 to 8°C.Antibody is stable for 24 months.

Precautions TGF-alpha (Transforming Growth Factor alpha) Antibody - With BSA and

Azide is for research use only and not for use in diagnostic or therapeutic

procedures.

Protein Information

Name TGFA

Function TGF alpha is a mitogenic polypeptide that is able to bind to the EGF

receptor/EGFR and to act synergistically with TGF beta to promote

anchorage-independent cell proliferation in soft agar.

Cellular Location [Transforming growth factor alpha]: Secreted, extracellular space

Isoform 1, isoform 3 and isoform 4 are expressed in keratinocytes and

Background

This antibody reacts with the C-terminus of TGF alpha and shows no cross-reaction with EGF and the neuropeptide synenkephalin. The staining with Ab-1 is completely blocked by the peptide used for raising this antibody. TGF \Box \Box (aa50) is a growth factor with 33% homology to EGF, binds to EGFR, activates tyrosine phosphorylation of the receptor, and stimulates cell proliferation. It plays a role in tumor initiation by inducing the reversible transformed phenotype.

References

Kobrin MS et. al. J Bio Chem, 1986, 261:14414-9. | Kudlow JE et. al. Endocrinology, 1987, 121(4):1577-9. | Kobrin MS et. al. Endocrinology, 1987, 121(4):1412-6. | Kudlow JE et. al. J Bio Chem, 1989, 264(7):3880-3 |

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.