

# TSFM antibody - middle region

Rabbit Polyclonal Antibody Catalog # AI10017

## **Product Information**

Application	WB
Primary Accession	<u>P43897</u>
Other Accession	<u>P43897</u> , <u>NP_005717</u> , <u>NM_005726</u>
Reactivity	Human, Mouse, Rat, Rabbit, Guinea Pig, Bovine
Predicted	Human, Mouse, Rabbit, Guinea Pig
Host	Rabbit
Clonality	Polyclonal
Calculated MW	35391

# **Additional Information**

Gene ID	10102
Alias Symbol Other Names	COXPD3, EF-TS, EF-Tsmt, EFTS, EFTSMT Elongation factor Ts, mitochondrial {ECO:0000255 HAMAP-Rule:MF_03135}, EF-Ts {ECO:0000255 HAMAP-Rule:MF_03135}, EF-TsMt {ECO:0000255 HAMAP-Rule:MF_03135} {ECO:0000255 HAMAP-Rule:MF_03135}
Target/Specificity	The TSFM protein is a mitochondrial translation elongation factor. Synthesis of the 13 mitochondrial-encoded proteins occurs on a dedicated mitochondrial translation apparatus similar to that found in prokaryotes and requires, in addition to the tRNAs and rRNAs encoded in mtDNA, the concerted action of several translation factors and a large number of mitochondrial ribosomal proteins, all of which are encoded by nuclear genes.Synthesis of the 13 mitochondrial-encoded proteins occurs on a dedicated mitochondrial translation apparatus similar to that found in prokaryotes and requires, in addition to the tRNAs and rRNAs encoded in mtDNA, the concerted action of several translation apparatus similar to that found in prokaryotes and requires, in addition to the tRNAs and rRNAs encoded in mtDNA, the concerted action of several translation factors and a large number of mitochondrial ribosomal proteins, all of which are encoded by nuclear genes. The TSFM gene encodes a mitochondrial translation elongation factor (Smeitink et al., 2006 [PubMed 17033963]).[supplied by OMIM].
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-TSFM antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.
Precautions	TSFM antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.


### **Protein Information**

Name	TSFM {ECO:0000255 HAMAP-Rule:MF_03135}
Function	Associates with the EF-Tu.GDP complex and induces the exchange of GDP to GTP. It remains bound to the aminoacyl-tRNA.EF- Tu.GTP complex up to the GTP hydrolysis stage on the ribosome.
Cellular Location	Mitochondrion.
Tissue Location	Expressed in all tissues, with the highest levels of expression in skeletal muscle, liver and kidney

### Background

This is a rabbit polyclonal antibody against TSFM. It was validated on Western Blot using a cell lysate as a positive control. Abgent strives to provide antibodies covering each member of a whole protein family of your interest. We also use our best efforts to provide you antibodies recognize various epitopes of a target protein. For availability of antibody needed for your experiment, please inquire (sales@abgent.com).

#### Images



90 kDa\_\_\_ 65 kDa\_\_\_ 40 kDa\_\_\_ 31 kDa\_\_ 22 kDa\_\_\_ Positive Control: Hela cell lysate .TSFM is strongly supported by BioGPS gene expression data to be expressed in HeLa

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.