

TSFM antibody - middle region

Rabbit Polyclonal Antibody

Catalog # AI10017

Product Information

Application	WB
Primary Accession	P43897
Other Accession	P43897 , NP_005717 , NM_005726
Reactivity	Human, Mouse, Rat, Rabbit, Guinea Pig, Bovine
Predicted	Human, Mouse, Rabbit, Guinea Pig
Host	Rabbit
Clonality	Polyclonal
Calculated MW	35391

Additional Information

Gene ID	10102
Alias Symbol Other Names	COXPD3, EF-TS, EF-Tsmt, EFTS, EFTSMT Elongation factor Ts, mitochondrial {ECO:0000255 HAMAP-Rule:MF_03135}, EF-Ts {ECO:0000255 HAMAP-Rule:MF_03135}, EF-TsMt {ECO:0000255 HAMAP-Rule:MF_03135}, TSFM {ECO:0000255 HAMAP-Rule:MF_03135}
Target/Specificity	The TSFM protein is a mitochondrial translation elongation factor. Synthesis of the 13 mitochondrial-encoded proteins occurs on a dedicated mitochondrial translation apparatus similar to that found in prokaryotes and requires, in addition to the tRNAs and rRNAs encoded in mtDNA, the concerted action of several translation factors and a large number of mitochondrial ribosomal proteins, all of which are encoded by nuclear genes. Synthesis of the 13 mitochondrial-encoded proteins occurs on a dedicated mitochondrial translation apparatus similar to that found in prokaryotes and requires, in addition to the tRNAs and rRNAs encoded in mtDNA, the concerted action of several translation factors and a large number of mitochondrial ribosomal proteins, all of which are encoded by nuclear genes. The TSFM gene encodes a mitochondrial translation elongation factor (Smeitink et al., 2006 [PubMed 17033963]). [supplied by OMIM].
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-TSFM antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.
Precautions	TSFM antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

Name	TSFM {ECO:0000255 HAMAP-Rule:MF_03135}
Function	Associates with the EF-Tu.GDP complex and induces the exchange of GDP to GTP. It remains bound to the aminoacyl-tRNA.EF- Tu.GTP complex up to the GTP hydrolysis stage on the ribosome.
Cellular Location	Mitochondrion.
Tissue Location	Expressed in all tissues, with the highest levels of expression in skeletal muscle, liver and kidney


Background

This is a rabbit polyclonal antibody against TSFM. It was validated on Western Blot using a cell lysate as a positive control. Abgent strives to provide antibodies covering each member of a whole protein family of your interest. We also use our best efforts to provide you antibodies recognize various epitopes of a target protein. For availability of antibody needed for your experiment, please inquire (sales@abgent.com).


Images



TSFM antibody - middle region (AI10017) in Human 293T cells using Western Blot
Host:Rabbit
Target Name:TSFM
Sample Tissue:Human 293T
Antibody Dilution: 1.0 µg/ml
There is BioGPS gene expression data showing that TSFM is expressed in HEK293T




TSFM antibody - middle region (AI10017) in Human 721_B cells using Western Blot
Host:Rabbit
Target Name:TSFM
Sample Tissue:Human 721_B
Antibody Dilution: 1.0 µg/ml
TSFM is strongly supported by BioGPS gene expression data to be expressed in Human 721_B cells



TSFM antibody - middle region (AI10017) in Human MCF7 cells using Western Blot
Host:Rabbit
Target Name:TSFM
Sample Tissue:Human MCF7
Antibody Dilution: 1.0 µg/ml
TSFM is strongly supported by BioGPS gene expression data to be expressed in MCF7

TSFM antibody - middle region (AI10017) in Human HeLa cells using Western Blot
WB Suggested Anti-TSFM Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:312500



Positive Control: Hela cell lysate
.TSFM is strongly supported by BioGPS gene expression data to be expressed in HeLa

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.