

GRIP1 antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI10062

Product Information

Application	WB
Primary Accession	Q9Y3R0
Other Accession	Q9Y3R0 , CAB39895 , NM_001178074
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Dog, Guinea Pig, Horse, Bovine
Predicted	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Chicken, Dog, Guinea Pig, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	122422

Additional Information

Gene ID	23426
Alias Symbol	GRIP
Other Names	Glutamate receptor-interacting protein 1, GRIP-1, GRIP1
Target/Specificity	GRIP1 may play a role as a localized scaffold for the assembly of a multiprotein signaling complex and as mediator of the trafficking of its binding partners at specific subcellular location in neurons.
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-GRIP1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.
Precautions	GRIP1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	GRIP1
Function	May play a role as a localized scaffold for the assembly of a multiprotein signaling complex and as mediator of the trafficking of its binding partners at specific subcellular location in neurons (PubMed: 10197531). Through complex formation with NSG1, GRIA2 and STX12 controls the intracellular fate of AMPAR and the endosomal sorting of the GRIA2 subunit toward recycling and membrane targeting (By similarity).


Cellular Location

Cytoplasmic vesicle. Perikaryon {ECO:0000250|UniProtKB:P97879}. Cell projection, dendrite {ECO:0000250|UniProtKB:P97879}. Cytoplasm {ECO:0000250|UniProtKB:P97879}. Endomembrane system {ECO:0000250|UniProtKB:P97879}; Peripheral membrane protein {ECO:0000250|UniProtKB:P97879}. Postsynaptic cell membrane {ECO:0000250|UniProtKB:P97879}. Postsynaptic density {ECO:0000250|UniProtKB:P97879}. Endoplasmic reticulum membrane; Peripheral membrane protein {ECO:0000250|UniProtKB:P97879}. Note=Membrane-associated with vesicles, peri-Golgi complexes and endoplasmic reticulum. Enriched in postsynaptic plasma membrane and postsynaptic densities {ECO:0000250|UniProtKB:P97879}

Background

This is a rabbit polyclonal antibody against GRIP1. It was validated on Western Blot using a cell lysate as a positive control. Abgent strives to provide antibodies covering each member of a whole protein family of your interest. We also use our best efforts to provide you antibodies recognize various epitopes of a target protein. For availability of antibody needed for your experiment, please inquire (sales@abgent.com).

Images




GRIP1 antibody - C-terminal region (AI10062) in Human 721_B cells using Western Blot

Host:Rabbit

Target Name:GRIP1

Sample Tissue:721_B

Antibody Dilution: 1.0 µg/ml GRIP1 is supported by BioGPS gene expression data to be expressed in 721_B




GRIP1 antibody - C-terminal region (AI10062) in Hum. Adult Placenta cells using Western Blot

Host:Rabbit

Target Name:GRIP1

Sample Tissue:Human Adult Placenta

Antibody Dilution: 1.0 µg/ml



GRIP1 antibody - C-terminal region (AI10062) in Human HepG2 cells using Western Blot

WB Suggested Anti-GRIP1 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:312500

Positive Control: HepG2 cell lysate

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.