

KLF11 antibody - N-terminal region

Rabbit Polyclonal Antibody Catalog # AI10162

Product Information

Application WB Primary Accession 014901

Other Accession NM_003597, NP_003588

Reactivity PredictedHuman, Rat, Pig, Dog, Horse, Bovine
Human, Pig, Chicken, Dog, Bovine

Host Rabbit
Clonality Polyclonal
Calculated MW 55139

Additional Information

Gene ID 8462

Alias Symbol FKLF, FKLF1, MODY7, TIEG2, Tieg3

Other Names Krueppel-like factor 11, Transforming growth factor-beta-inducible early

growth response protein 2, TGFB-inducible early growth response protein 2,

TIEG-2, KLF11, FKLF, TIEG2

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

Reconstitution & Storage Add 100 ul of distilled water. Final anti-KLF11 antibody concentration is 1

mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at

20°C. Avoid repeat freeze-thaw cycles.

Precautions KLF11 antibody - N-terminal region is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name KLF11

Synonyms FKLF, TIEG2

Function Transcription factor (PubMed: <u>10207080</u>, PubMed:<u>9748269</u>). Activates the

epsilon- and gamma-globin gene promoters and, to a much lower degree, the

beta-globin gene and represses promoters containing SP1-like binding

inhibiting cell growth (PubMed: 10207080, PubMed: 16131492,

PubMed: <u>9748269</u>). Represses transcription of SMAD7 which enhances TGF-beta signaling (By similarity). Induces apoptosis (By similarity).

Cellular Location Nucleus.

Tissue Location Ubiquitous. Higher expression in erythroid cells.

References

Neve,B., (2005) Proc. Natl. Acad. Sci. U.S.A. 102 (13), 4807-4812Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.

Images

