

# KLF11 antibody - N-terminal region

Rabbit Polyclonal Antibody Catalog # AI10162

#### **Product Information**

Application WB Primary Accession 014901

Other Accession NM\_003597, NP\_003588

**Reactivity Predicted**Human, Rat, Pig, Dog, Horse, Bovine
Human, Pig, Chicken, Dog, Bovine

Host Rabbit
Clonality Polyclonal
Calculated MW 55139

#### **Additional Information**

Gene ID 8462

Alias Symbol FKLF, FKLF1, MODY7, TIEG2, Tieg3

Other Names Krueppel-like factor 11, Transforming growth factor-beta-inducible early

growth response protein 2, TGFB-inducible early growth response protein 2,

TIEG-2, KLF11, FKLF, TIEG2

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

**Reconstitution & Storage** Add 100 ul of distilled water. Final anti-KLF11 antibody concentration is 1

mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at

20°C. Avoid repeat freeze-thaw cycles.

**Precautions** KLF11 antibody - N-terminal region is for research use only and not for use in

diagnostic or therapeutic procedures.

#### **Protein Information**

Name KLF11

**Synonyms** FKLF, TIEG2

**Function** Transcription factor (PubMed: <u>10207080</u>, PubMed:<u>9748269</u>). Activates the

epsilon- and gamma-globin gene promoters and, to a much lower degree, the

beta-globin gene and represses promoters containing SP1-like binding

inhibiting cell growth (PubMed:10207080, PubMed:16131492,

PubMed: <u>9748269</u>). Represses transcription of SMAD7 which enhances TGF-beta signaling (By similarity). Induces apoptosis (By similarity).

Cellular Location Nucleus.

**Tissue Location** Ubiquitous. Higher expression in erythroid cells.

### References

Neve,B., (2005) Proc. Natl. Acad. Sci. U.S.A. 102 (13), 4807-4812Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.

## **Images**

