

ZBTB20 antibody - middle region

Rabbit Polyclonal Antibody

Catalog # AI10280

Product Information

Application	WB
Primary Accession	Q9HC78
Other Accession	NM_015642 , NP_056457
Reactivity	Human, Mouse, Rat, Pig, Dog, Horse, Bovine
Predicted	Human, Mouse, Rat, Dog, Guinea Pig, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	81083

Additional Information

Gene ID	26137
Alias Symbol	HOF, DPZF, ODA-8S, ZNF288
Other Names	Zinc finger and BTB domain-containing protein 20, Dendritic-derived BTB/POZ zinc finger protein, Zinc finger protein 288, ZBTB20, DPZF, ZNF288
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 100 ul of distilled water. Final anti-ZBTB20 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	ZBTB20 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	ZBTB20
Synonyms	DPZF, ZNF288
Function	May be a transcription factor that may be involved in hematopoiesis, oncogenesis, and immune responses (PubMed: 11352661). Plays a role in postnatal myogenesis, may be involved in the regulation of satellite cells self-renewal (By similarity).
Cellular Location	Nucleus {ECO:0000250 UniProtKB:Q8K0L9}.
Tissue Location	Expressed in spleen, lymph node, thymus, peripheral blood leukocytes, and

fetal liver.

References

Zhang,W., et al., (2001) Biochem. Biophys. Res. Commun. 282 (4), 1067-1073
Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.

Images

