

Ccnl1 antibody - N-terminal region

Rabbit Polyclonal Antibody

Catalog # AI10474

Product Information

Application	WB
Primary Accession	Q9R1Q2
Other Accession	NM_053662 , NP_446114
Reactivity	Human, Mouse, Rat, Zebrafish, Dog, Bovine
Predicted	Human, Mouse, Rat, Zebrafish, Chicken, Dog, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	59791

Additional Information

Gene ID	114121
Alias Symbol	Ania-6a, Ccnl MGC93069, Ccnl
Other Names	Cyclin-L1, Cyclin-L, Cyclin Ania-6a, Ccnl1, Ania6a
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-Ccnl1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	Ccnl1 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	Ccnl1
Synonyms	Ania6a
Function	Involved in pre-mRNA splicing (PubMed: 11683997). Functions in association with cyclin-dependent kinases (CDKs). May play a role in the regulation of RNA polymerase II (pol II). Inhibited by the CDK- specific inhibitor CDKN1A/p21 (By similarity).
Cellular Location	Nucleus speckle. Nucleus, nucleoplasm {ECO:0000250 UniProtKB:Q9UK58}. Note=Found in nuclear intrachromatin granules clusters (IGC), also called nuclear speckles, which are storage compartments for nuclear proteins involved in mRNA processing

Tissue Location

Ubiquitous with higher level in liver; expressed in striatal neurons.

Images

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.