

PARP16 antibody - N-terminal region

Rabbit Polyclonal Antibody

Catalog # AI10556

Product Information

Application	WB
Primary Accession	Q6PK64
Other Accession	NM_017851 , NP_060321
Reactivity	Human, Mouse, Rat, Pig, Dog, Bovine
Predicted	Mouse, Rat, Dog, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	36 kDa

Additional Information

Alias Symbol	pART15, C15orf30
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-PARP16 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	PARP16 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


Protein Information

References



Strausberg, R.L., et al., (2002) Proc. Natl. Acad. Sci. U.S.A. 99 (26), 16899-16903
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images

WB Suggested Anti-PARP16 Antibody Titration: .2-1 ug/ml
Positive Control: Human kidney



WB Suggested Anti-PARP16 antibody Titration: 1 ug/mL
Sample Type: Human heart



Rabbit Anti-PARP16 Antibody
Catalog Number: AI1556
Formalin Fixed Paraffin Embedded Tissue: Human Adult liver
Observed Staining: Cytoplasmic
Primary Antibody Concentration: 1:1
Secondary Antibody: Donkey anti-Rabbit-Cy2/3
Secondary Antibody Concentration: 1:2
Magnification: 2X
Exposure Time: .5 – 2. sec
Protocol located in Reviews and Data.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.