

PHYHIP antibody - N-terminal region

Rabbit Polyclonal Antibody Catalog # AI10574

Product Information

Application WB Primary Accession Q92561

Other Accession <u>NM 014759</u>, <u>NP 055574</u>

Reactivity PredictedHuman, Mouse, Rat, Zebrafish, Pig, Dog, Bovine
Human, Mouse, Zebrafish, Pig, Chicken, Dog

Host Rabbit
Clonality Polyclonal
Calculated MW 37573

Additional Information

Gene ID 9796

Alias Symbol DYRK1AP3, KIAA0273, PAHX-AP, PAHXAP1

Other Names Phytanoyl-CoA hydroxylase-interacting protein, Phytanoyl-CoA

hydroxylase-associated protein 1, PAHX-AP1, PAHXAP1, PHYHIP, DYRK1AP3,

KIAA0273

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

Reconstitution & Storage Add 50 ul of distilled water. Final anti-PHYHIP antibody concentration is 1

mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at

20°C. Avoid repeat freeze-thaw cycles.

Precautions PHYHIP antibody - N-terminal region is for research use only and not for use

in diagnostic or therapeutic procedures.

Protein Information

Name PHYHIP

Synonyms DYRK1AP3, KIAA0273

Function Its interaction with PHYH suggests a role in the development of the central


system.

Tissue Location Highly expressed in the brain.

References

Bescond,M. (2005) Int. J. Biochem. Cell Biol. 37 (4), 775-783Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.

Images



WB Suggested Anti-PHYHIP Antibody Titration: .2-1 ug/ml Positive Control: Transfected 293T

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.