10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

CRIP2 antibody - middle region

Rabbit Polyclonal Antibody
Catalog # AI10638

Product Information

Application	WB, IHC
Primary Accession	P52943
Other Accession	NM_001312, NP_001303
Reactivity	Human, Mouse, Rat, Zebrafish, Dog, Bovine
Predicted	Human, Mouse, Rat, Zebrafish, Dog, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	22493

Additional Information

Gene ID	1397
Alias Symbol	CRIP, CRP2, ESP1
Other Names	Cysteine-rich protein 2, CRP-2, Protein ESP1, CRIP2, CRP2
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-CRIP2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	CRIP2 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	CRIP2
Synonyms	CRP2
Tissue Location	Widespread tissue expression; highest levels in the heart

References

Lim,J., (2006) Cell 125 (4), 801-814 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.

Images



WB Suggested Anti-CRIP2 Antibody Titration: .2-1 ug/ml
ELISA Titer: 1:3125
Positive Control: MCF7 cell lysate

CRIP2 is supported by BioGPS gene expression data to be expressed in MCF7



Rabbit Anti-CRIP2 Antibody
Catalog Number: AI1638
Formalin Fixed Paraffin Embedded Tissue: Human Lung Tissue
Observed Staining: Cytoplasmic in alveolar type I cells
Primary Antibody Concentration: 1:1
Other Working Concentrations: 1/6
Secondary Antibody: Donkey anti-Rabbit-Cy3
Secondary Antibody Concentration: 1:2
Magnification: 2X
Exposure Time: .5 - 2. sec