

# SAP30BP antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI10669

## Product Information

---

<b>Application</b>	WB
<b>Primary Accession</b>	<a href="#">Q9UHR5</a>
<b>Other Accession</b>	<a href="#">NM_013260</a> , <a href="#">NP_037392</a>
<b>Reactivity</b>	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Dog, Horse, Bovine
<b>Predicted</b>	Rat, Pig, Bovine
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal
<b>Calculated MW</b>	33870

## Additional Information

---

<b>Gene ID</b>	29115
<b>Alias Symbol</b>	HTRG, HTRP, HCNGP
<b>Other Names</b>	SAP30-binding protein, Transcriptional regulator protein HCNGP, SAP30BP {ECO:0000312 EMBL:AAH07592.1}
<b>Format</b>	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
<b>Reconstitution &amp; Storage</b>	Add 50 ul of distilled water. Final anti-SAP30BP antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
<b>Precautions</b>	SAP30BP antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


## Protein Information

---

<b>Name</b>	SAP30BP {ECO:0000312 EMBL:AAH07592.1}
<b>Function</b>	Plays a role in transcriptional repression by promoting histone deacetylase activity, leading to deacetylation of histone H3 (PubMed: <a href="#">21221920</a> ). May be involved in the regulation of beta-2- microglobulin genes (By similarity).
<b>Cellular Location</b>	Nucleus.

## Images

---



WB Suggested Anti-SAP30BP Antibody Titration: 0.2-1  
µg/ml  
ELISA Titer: 1:12500  
Positive Control: MCF7 cell lysate  
SAP30BP is supported by BioGPS gene expression data to  
be expressed in MCF7

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.