

# Rel antibody - middle region

Rabbit Polyclonal Antibody

Catalog # AI11079

## Product Information


|                   |                                                       |
|-------------------|-------------------------------------------------------|
| Application       | WB                                                    |
| Primary Accession | <a href="#">A4QPD3</a>                                |
| Other Accession   | <a href="#">NM_009044</a> , <a href="#">NP_033070</a> |
| Reactivity        | Human, Mouse, Rat, Rabbit, Dog, Horse, Bovine         |
| Predicted         | Human, Mouse, Pig, Dog, Horse, Bovine                 |
| Host              | Rabbit                                                |
| Clonality         | Polyclonal                                            |
| Calculated MW     | 65 KDa                                                |

## Additional Information

|                          |                                                                                                                                                                                              |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Alias Symbol             | c-Rel                                                                                                                                                                                        |
| Format                   | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.                                                                                            |
| Reconstitution & Storage | Add 50 ul of distilled water. Final anti-Rel antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles. |
| Precautions              | Rel antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.                                                                               |

## Protein Information

## Images



WB Suggested Anti-Rel Antibody Titration: 0.2-1 µg/ml  
Positive Control: Mouse Lung