

Taf7l Antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI11207

Product Information

Application	WB
Primary Accession	Q9D3R9
Other Accession	NM_028958 , NP_083234
Reactivity	Mouse, Rat, Pig, Bovine
Predicted	Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	52905

Additional Information

Gene ID	74469
Alias Symbol	4933438I11Rik, 50kDa, Taf2q
Other Names	Transcription initiation factor TFIID subunit 7-like, TATA box binding protein-associated factor RNA polymerase II subunit Q, TATA box-binding protein-associated factor 50 kDa, Transcription initiation factor TFIID 50 kDa subunit, Taf7l, Taf2q
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-Taf7l antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	Taf7l Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information


Name	Taf7l
Synonyms	Taf2q
Function	Probably functions as a spermatogenesis-specific component of the DNA-binding general transcription factor complex TFIID, a multimeric protein complex that plays a central role in mediating promoter responses to various activators and repressors. May play a role in spermatogenesis.
Cellular Location	Nucleus. Cytoplasm. Note=Cytoplasmic in spermatogonia and early

spermatocytes (preleptotene, leptotene, and zygotene); translocates into the nuclei of pachytene spermatocytes and round spermatids

Tissue Location

Testis-specific (at protein level). Expressed during spermatogenesis from spermatogonia stage up to the stage of round spermatids.

Images



Host: Rabbit

Target Name: Taf7l

Sample Tissue: Mouse Muscle lysates

Antibody Dilution: 1.0µg/ml

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.