

Dnajc17 antibody - middle region

Rabbit Polyclonal Antibody Catalog # AI11229

Product Information

Application WB
Primary Accession Q91WT4

Other Accession NM 139139, NP 631878
Reactivity Human, Mouse, Rat, Horse

Predicted Mouse
Host Rabbit
Clonality Polyclonal
Calculated MW 34465

Additional Information

Gene ID 69408

Alias Symbol 1700025B16Rik, C87112, D9Bwg1371e

Other Names DnaJ homolog subfamily C member 17, Dnajc17

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

Reconstitution & Storage Add 50 ul of distilled water. Final anti-Dnajc17 antibody concentration is 1

mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at

20°C. Avoid repeat freeze-thaw cycles.

Precautions Dnajc17 antibody - middle region is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name Dnajc17

Function May negatively affect PAX8-induced thyroglobulin/TG transcription.


Cellular Location Cytoplasm {ECO:0000250 | UniProtKB:D3ZSC8}. Nucleus

{ECO:0000250 | UniProtKB:D3ZSC8}. Note=Predominantly nuclear

{ECO:0000250 | UniProtKB:D3ZSC8}

Tissue Location Expressed in the thyroid gland.

Images



WB Suggested Anti-Dnajc17 Antibody Titration: 0.2-1 μ g/ml Positive Control: Mouse Muscle

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.