10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Dnajc17 antibody - middle region

Rabbit Polyclonal Antibody
Catalog # AI11229

Product Information

Application	WB
Primary Accession	Q91WT4
Other Accession	NM_139139, NP_631878
Reactivity	Human, Mouse, Rat, Horse
Predicted	Mouse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	34465

Additional Information

Gene ID	69408
Alias Symbol	1700025B16Rik, C87112, D9Bwg1371e
Other Names	DnaJ homolog subfamily C member 17, Dnajc17
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-Dnajc17 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	Dnajc17 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	Dnajc17
Function	May negatively affect PAX8-induced thyroglobulin/TG transcription.
Cellular Location	Cytoplasm {ECO:0000250|UniProtKB:D3ZSC8}. Nucleus {ECO:0000250|UniProtKB:D3ZSC8}. Note=Predominantly nuclear {ECO:0000250|UniProtKB:D3ZSC8}
Tissue Location	Expressed in the thyroid gland.

Images



WB Suggested Anti-Dnajc17 Antibody Titration: 0.2-1 µg/ml
Positive Control: Mouse Muscle

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.