10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Vgll2 antibody - C-terminal region

Rabbit Polyclonal Antibody
Catalog # AI11240

Product Information

Application	WB
Primary Accession	Q8BGW8
Other Accession	NM_153786, NP_722481
Reactivity	Human, Mouse, Rat, Rabbit, Dog
Predicted	Human, Mouse, Rat, Rabbit, Chicken, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	34064


Additional Information

Gene ID	215031
Alias Symbol	C130057C21Rik, VITO-1, Vito1
Other Names	Transcription cofactor vestigial-like protein 2, Vgl-2, Protein VITO1, Vgll2, Vgl2, Vito1
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-Vgll2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	Vgll2 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	Vgll2
Synonyms	Vgl2, Vito1
Function	May act as a specific coactivator for the mammalian TEFs. May play a role in the development of skeletal muscles.
Cellular Location	Nucleus.
Tissue Location	Skeletal muscle specific.

Images



WB Suggested Anti-Vgll2 Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:312500
Positive Control: SP2/0 cell lysate

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.