10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

NFATC1 antibody - middle region

Rabbit Polyclonal Antibody
Catalog # AI11456

Product Information

Application	WB
Primary Accession	B5B2M8
Other Accession	NM_005093, NP_006153
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	89 KDa

Additional Information


Alias Symbol	MGC138448, NF-ATC, NFAT2, NFATc
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-NFATC1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	NFATC1 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

References


Kumar,R., (2006) Mol. Cancer Res. 4 (9), 655-665 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.

Images



Rabbit Anti-NFATC1 Antibody
Catalog Number: AI11456
Formalin Fixed Paraffin Embedded Tissue: Human Adult heart Observed Staining: Cytoplasmic
Primary Antibody
Concentration: 1:600
Secondary Antibody: Donkey anti-Rabbit-Cy2/3

Secondary Antibody
Concentration: 1:200
Magnification: 20X
Exposure Time: 0.5 â€“ 2.0 sec
Protocol located in Reviews and Data.



WB Suggested Anti-NFATC1 Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:1562500
Positive Control: NCI-H226 cell lysate

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.