

# ZNF326 antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI11668

## Product Information

---

<b>Application</b>	WB, IHC
<b>Primary Accession</b>	<a href="#">Q5BKZ1</a>
<b>Other Accession</b>	<a href="#">NM_182976</a> , <a href="#">NP_892021</a>
<b>Reactivity</b>	Human, Rat, Dog
<b>Predicted</b>	Human
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal
<b>Calculated MW</b>	65654

## Additional Information

---

<b>Gene ID</b>	284695
<b>Alias Symbol</b> <b>Other Names</b>	FLJ20403, MGC61591, ZAN75, Zfp326, dj871E2.1 DBIRD complex subunit ZNF326, Zinc finger protein 326, Zinc finger protein interacting with mRNPs and DBC1, ZNF326, ZIRD
<b>Format</b>	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
<b>Reconstitution &amp; Storage</b>	Add 100 ul of distilled water. Final anti-ZNF326 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
<b>Precautions</b>	ZNF326 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

## Protein Information

---

<b>Name</b>	ZNF326
<b>Synonyms</b>	ZIRD
<b>Function</b>	Core component of the DBIRD complex, a multiprotein complex that acts at the interface between core mRNP particles and RNA polymerase II (RNAPII) and integrates transcript elongation with the regulation of alternative splicing: the DBIRD complex affects local transcript elongation rates and alternative splicing of a large set of exons embedded in (A + T)-rich DNA regions. May play a role in neuronal differentiation and is able to bind DNA and activate expression in vitro.


**Cellular Location**

Nucleus matrix.


**References**

Strausberg,R.L., (2002) Proc. Natl. Acad. Sci. U.S.A. 99 (26), 16899-16903Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.

**Images**



Human kidney



Human Liver



WB Suggested Anti-ZNF326 Antibody Titration:  
0.625µg/ml  
Positive Control: Jurkat cell lysate

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.