

CPNE1 antibody - middle region

Rabbit Polyclonal Antibody Catalog # AI11757

Product Information

Application WB Primary Accession Q99829

Other Accession NM 003915, NP 003906

ReactivityHuman, Mouse, Rat, Rabbit, Zebrafish, Pig, Dog, Horse, Bovine, Sheep **Predicted**Human, Mouse, Rabbit, Zebrafish, Pig, Chicken, Dog, Horse, Bovine, Sheep

Host Rabbit
Clonality Polyclonal
Calculated MW 59059

Additional Information

Gene ID 8904

Alias Symbol COPN1, CPN1, MGC1142

Other Names Copine-1, Copine I, CPNE1, CPN1

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

Reconstitution & Storage Add 50 ul of distilled water. Final anti-CPNE1 antibody concentration is 1

mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at

20°C. Avoid repeat freeze-thaw cycles.

Precautions CPNE1 antibody - middle region is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name CPNE1 (HGNC:2314)

Synonyms CPN1

Function Calcium-dependent phospholipid-binding protein that plays a role in

calcium-mediated intracellular processes (PubMed:<u>14674885</u>). Involved in the TNF-alpha receptor signaling pathway in a calcium- dependent manner (PubMed:<u>14674885</u>). Exhibits calcium-dependent phospholipid binding properties (PubMed:<u>19539605</u>, PubMed:<u>9430674</u>). Plays a role in neuronal

progenitor cell differentiation; induces neurite outgrowth via a AKT-dependent signaling cascade and calcium- independent manner (PubMed:23263657, PubMed:25450385). May recruit target proteins to the cell membrane in a calcium-dependent manner (PubMed:12522145). May

function in membrane trafficking (PubMed: 9430674). Involved in TNF-alpha-induced NF-kappa-B transcriptional repression by inducing endoprotease processing of the transcription factor NF-kappa-B p65/RELA subunit (PubMed: 18212740). Also induces endoprotease processing of NF-kappa-B p50/NFKB1, p52/NFKB2, RELB and REL (PubMed: 18212740).

Cellular Location Nucleus. Cytoplasm. Cell membrane Note=Translocates to the cell membrane

in a calcium-dependent manner (PubMed:21087455, PubMed:25450385).

Tissue Location Expressed in neutrophils (at protein level) (PubMed:12949241). Widely


expressed. Expressed in the brain. Expressed in neutrophil precursors from

bone marrow and peripheral blood (PubMed:12949241).

References

Ma,J., (2007) Atherosclerosis 191 (1), 63-72 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.