

Fnbp1 antibody - N-terminal region

Rabbit Polyclonal Antibody

Catalog # AI11798

Product Information

Application	WB
Primary Accession	Q80TY0
Other Accession	NM_001177650 , NP_001171121
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Dog, Horse, Bovine
Predicted	Human, Mouse, Rat, Chicken, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	71344

Additional Information

Gene ID	14269
Alias Symbol	1110057E06Rik, 2210010H06Rik, FBP1, Fbp17
Other Names	Formin-binding protein 1, Formin-binding protein 17, Fnbp1, Fbp17, Kiaa0554
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-Fnbp1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	Fnbp1 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	Fnbp1
Synonyms	Fbp17, Kiaa0554
Function	Required to coordinate membrane tubulation with reorganization of the actin cytoskeleton during the late stage of clathrin-mediated endocytosis. Binds to lipids such as phosphatidylinositol 4,5-bisphosphate and phosphatidylserine and promotes membrane invagination and the formation of tubules. Also enhances actin polymerization via the recruitment of WASL/N-WASP, which in turn activates the Arp2/3 complex. Actin polymerization may promote the fission of membrane tubules to form endocytic vesicles. May act as a link between RND2 signaling and regulation of the actin cytoskeleton. May be required for the lysosomal retention of

FASLG/FASL (By similarity).


Cellular Location

Cytoplasm. Cytoplasm, cytoskeleton. Cytoplasm, cell cortex. Lysosome. Cytoplasmic vesicle. Cell membrane; Peripheral membrane protein; Cytoplasmic side. Membrane, clathrin-coated pit Note=Enriched in cortical regions coincident with F-actin. Also localizes to endocytic vesicles and lysosomes.

Tissue Location

Expressed in brain and testis.

Images



WB Suggested Anti-Fnbp1 Antibody Titration: 1.0 µg/ml
Positive Control: Mouse Pancreas

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.