RBM47 antibody - middle region

Rabbit Polyclonal Antibody
Catalog # AI11818

Product Information

Application	WB, IHC
Primary Accession	A0AV96-2
Other Accession	NM_019027, NP_061900
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Dog, Horse, Bovine
Predicted	Human, Mouse, Rat, Rabbit, Chicken, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	57 KDa

Additional Information

|	
Alias Symbol	DKFZp686F02235, FLJ20273, FLJ21344, FLJ21643, NET18
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-RBM47 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	RBM47 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

References

Oh,J.H., (2005) Mamm. Genome 16 (12), 942-954 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.

Images

human Colon

WB Suggested Anti-RBM47 Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:62500
Positive Control: NCI-H226

RBM47

Rabbit Anti-RBM47
Lane: Human Fetal Heart
Antibody Titration: 1.0 µg/mL
Gel Concentration: 12%

Host: Rabbit
Target Name: RBM47
Sample Tissue: Human Fetal Heart
Antibody Dilution: 1.0µg/ml

RBM47

Rabbit Anti-RBM47
Lane: Human Fetal Liver
Antibody Titration: 1.0 µg/mL
Gel Concentration: 12%

Host: Rabbit
Target Name: RBM47
Sample Tissue: Human Fetal Liver
Antibody Dilution: 1.0µg/ml

RBM47

Rabbit Anti-RBM47
Lane: Human Fetal Muscle
Antibody Titration: 1.0 µg/mL
Gel Concentration: 12%

Host: Rabbit
Target Name: RBM47
Sample Tissue: Human Fetal Muscle
Antibody Dilution: 1.0µg/ml

Host: Rabbit
Target Name: RBM47
Sample Tissue: Human Adult Placenta
Antibody Dilution: 1.0µg/ml

RBM47

90kDa__
65kDa__
                        ←
40kDa__
                Rabbit Anti-RBM47
                Lane: Human Adult Placenta
31kDa__   Antibody Titration: 1.0 µg/mL
                Gel Concentration: 12%
22kDa__

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.