

MUC1 antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI11896

Product Information


Application	WB, IHC
Primary Accession	Q7Z552
Other Accession	NM_001044390 , NP_001037855
Reactivity	Human, Mouse, Rat, Rabbit, Dog, Horse, Bovine
Predicted	Mouse, Rat, Rabbit, Pig, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	22 KDa

Additional Information

Alias Symbol	CD227, EMA, PEM, PUM, mucin, KL-6, MAM6, PEMT, H23AG, MUC-1, MUC-1/X, MUC1/ZD, MUC-1/SEC
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 100 ul of distilled water. Final anti-MUC1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	MUC1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information


Images



Rabbit Anti-MUC1 Antibody
Paraffin Embedded Tissue: Human Kidney
Cellular Data: Epithelial cells of renal tubule
Antibody Concentration: 4.0-8.0 µg/ml
Magnification: 400X

Sample Type : Pig stomach
Primary Antibody Dilution : 1:500

MUC1




Brown: MUC1 Blue: Nucleus

See IHC 2 Data and Customer Feedback for more information.

Secondary Antibody : Anti-rabbit-HRP Secondary Antibody
Dilution : 1:1000 Color/Signal Descriptions : Brown: MUC1
Blue: Nucleus
Gene Name : MUC1 Submitted by : Dr. Sara Linden,
University of Gothenburg


MUC1




Brown: MUC1 Blue: Nucleus

See IHC 3 Data and Customer Feedback for more information.

Sample Type : Human stomach
Primary Antibody Dilution : 1:500
Secondary Antibody : Anti-rabbit-HRP Secondary Antibody
Dilution : 1:1000 Color/Signal Descriptions : Brown: MUC1
Blue: Nucleus
Gene Name : MUC1 Submitted by : Dr. Sara Linden,
University of Gothenburg



Rabbit Anti-MUC1 Antibody
Paraffin Embedded Tissue: Human alveolar cell
Cellular Data: Epithelial cells of renal tubule
Antibody Concentration: 4.0-8.0 µg/ml
Magnification: 400X



WB Suggested Anti-MUC1 Antibody Titration: 2.5µg/ml
Positive Control: Jurkat cell lysate

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.