

# HEY1 antibody - middle region

Rabbit Polyclonal Antibody Catalog # AI11898

#### **Product Information**

Application WB Primary Accession Q9Y5|3

Other Accession <u>NM 012258</u>, <u>NP 036390</u>

**Reactivity**Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Dog, Horse, Bovine **Predicted**Human, Mouse, Rabbit, Zebrafish, Pig, Dog, Horse, Bovine

Host Rabbit
Clonality Polyclonal
Calculated MW 32613

### **Additional Information**

**Gene ID** 23462

Alias Symbol CHF2, HERP2, HESR1, HRT-1, MGC1274, OAF1, BHLHb31

Other Names Hairy/enhancer-of-split related with YRPW motif protein 1, Cardiovascular helix-loop-helix factor 2, CHF-2, Class B basic helix-loop-helix protein 31,

bHLHb31, HES-related repressor protein 1, Hairy and enhancer of split-related protein 1, HESR-1, Hairy-related transcription factor 1, HRT-1, hHRT1, HEY1,

BHLHB31, CHF2, HERP2, HESR1, HRT1

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

**Reconstitution & Storage** Add 50 ul of distilled water. Final anti-HEY1 antibody concentration is 1 mg/ml

in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C.

Avoid repeat freeze-thaw cycles.

**Precautions** HEY1 antibody - middle region is for research use only and not for use in

diagnostic or therapeutic procedures.

### **Protein Information**

Name HEY1

Synonyms BHLHB31, CHF2, HERP2, HESR1, HRT1

**Function** Transcriptional repressor which binds preferentially to the canonical E box

sequence 5'-CACGTG-3' (PubMed:11095750). Downstream effector of Notch signaling required for cardiovascular development. Specifically required for the Notch-induced endocardial epithelial to mesenchymal transition, which is itself criticial for cardiac valve and septum development. May be required in

conjunction with HEY2 to specify arterial cell fate or identity. Promotes maintenance of neuronal precursor cells and glial versus neuronal fate specification. Represses transcription by the cardiac transcriptional activators GATA4 and GATA6 and by the neuronal bHLH factors ASCL1/MASH1 and NEUROD4/MATH3 (PubMed:15485867). Involved in the regulation of liver cancer cells self-renewal (PubMed:25985737).


Cellular Location Nucleus {ECO:0000255 | PROSITE-ProRule:PRU00380,

ECO:0000255 | PROSITE-ProRule:PRU00981, ECO:0000269 | PubMed:26068074}

**Tissue Location** Expressed in the somitic mesoderm, the central nervous system, the kidney,

the heart, nasal epithelium, and limbs

## **Images**



WB Suggested Anti-HEY1 Antibody Titration: 0.2-1 μg/ml

ELISA Titer: 1:1562500

Positive Control: Human Stomach

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.