

# FGA antibody - N-terminal region

Rabbit Polyclonal Antibody

Catalog # AI11937

## Product Information

---

<b>Application</b>	WB, IHC
<b>Primary Accession</b>	<a href="#">Q4QQH7</a>
<b>Other Accession</b>	<a href="#">NM_021871</a> , <a href="#">NP_068657</a>
<b>Reactivity</b>	Human, Mouse, Rat, Pig, Goat, Dog, Horse, Bovine, Sheep
<b>Predicted</b>	Human, Mouse, Dog, Horse, Bovine
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal
<b>Calculated MW</b>	71 KDa

## Additional Information

---


<b>Alias Symbol</b>	Fib2
<b>Format</b>	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
<b>Reconstitution &amp; Storage</b>	Add 100 ul of distilled water. Final anti-FGA antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
<b>Precautions</b>	FGA antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

## Protein Information

---


### Images

---



Rabbit Anti-FGA Antibody  
Paraffin Embedded Tissue: Human Skin  
Cellular Data: Squamous epithelial cells  
Antibody Concentration: 4.0-8.0 µg/ml  
Magnification: 400X

WB Suggested Anti-FGA Antibody Titration: 5.0µg/ml  
Positive Control: Jurkat cell lysate



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.