

# Fkhl18 antibody - C-terminal region

Rabbit Polyclonal Antibody

Catalog # AI12048

## Product Information

---

|                          |                                                       |
|--------------------------|-------------------------------------------------------|
| <b>Application</b>       | WB                                                    |
| <b>Primary Accession</b> | <a href="#">Q61574</a>                                |
| <b>Other Accession</b>   | <a href="#">NM_010226</a> , <a href="#">NP_034356</a> |
| <b>Reactivity</b>        | Mouse, Rat, Guinea Pig, Horse, Bovine                 |
| <b>Predicted</b>         | Mouse, Rat, Pig, Guinea Pig, Horse, Bovine            |
| <b>Host</b>              | Rabbit                                                |
| <b>Clonality</b>         | Polyclonal                                            |
| <b>Calculated MW</b>     | 35567                                                 |

## Additional Information

---

|                                     |                                                                                                                                                                                                 |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Gene ID</b>                      | 14239                                                                                                                                                                                           |
| <b>Alias Symbol</b>                 | FREAC10, Fkh3, Foxs1, Fkhl18                                                                                                                                                                    |
| <b>Other Names</b>                  | Forkhead box protein S1, Forkhead-like 18 protein, Forkhead-related transcription factor 10, FREAC-10, Transcription factor FKH-3, Foxs1, Fkh3, Fkhl18, Freac10                                 |
| <b>Format</b>                       | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.                                                                                               |
| <b>Reconstitution &amp; Storage</b> | Add 50 ul of distilled water. Final anti-Fkhl18 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles. |
| <b>Precautions</b>                  | Fkhl18 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.                                                                           |


## Protein Information

---

|                          |                                                                                                                                                                       |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Name</b>              | Foxs1                                                                                                                                                                 |
| <b>Synonyms</b>          | Fkh3, Fkhl18, Freac10                                                                                                                                                 |
| <b>Function</b>          | Transcriptional repressor that suppresses transcription from the FASLG, FOXO3 and FOXO4 promoters. May have a role in the organization of the testicular vasculature. |
| <b>Cellular Location</b> | Nucleus {ECO:0000255   PROSITE-ProRule:PRU00089, ECO:0000269   PubMed:18288644}                                                                                       |

## Images

---



WB Suggested Anti-Fkhl18 Antibody Titration: 0.2-1  $\mu$ g/ml  
Positive Control: Mouse Brain

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.