

ZSCAN2 antibody - N-terminal region

Rabbit Polyclonal Antibody Catalog # AI12089

Product Information

Application WB Primary Accession Q7Z7L9

Other Accession <u>NM_181877</u>, <u>NP_870992</u>

Reactivity Human, Mouse, Rat, Pig, Dog, Bovine

Predicted Human, Mouse, Dog, Bovine

Host Rabbit
Clonality Polyclonal
Calculated MW 69547

Additional Information

Gene ID 54993

Alias Symbol ZFP29, ZNF854

Other Names Zinc finger and SCAN domain-containing protein 2, Zinc finger protein 29

homolog, Zfp-29, Zinc finger protein 854, ZSCAN2, ZFP29, ZNF854

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

Reconstitution & Storage Add 50 ul of distilled water. Final anti-ZSCAN2 antibody concentration is 1

mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at

20°C. Avoid repeat freeze-thaw cycles.

Precautions ZSCAN2 antibody - N-terminal region is for research use only and not for use

in diagnostic or therapeutic procedures.

Protein Information

Name ZSCAN2

Synonyms ZFP29, ZNF854

Function May be involved in transcriptional regulation during the post-meiotic stages


of spermatogenesis.

Cellular Location Nucleus {ECO:0000255 | PROSITE-ProRule:PRU00187}.

References

Denny, P. (1991) Gene 106(2), 221-227 Reconstitution and Storage: For short termuse, store at 2-8 Cup to 1 week. For long terms to rage, store at 2-20 Cinsmall aliquots to prevent freeze-thaw cycles.

Images



WB Suggested Anti-ZSCAN2 Antibody Titration: 0.2-1 μ g/ml Positive Control: Jurkat cell lysate

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.