

AK3L1 antibody - middle region

Rabbit Polyclonal Antibody

Catalog # AI12098

Product Information

Application	WB
Primary Accession	P27144
Other Accession	NM_001005353 , NP_001005353
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Dog, Guinea Pig, Horse, Bovine
Predicted	Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	25268

Additional Information

Gene ID	205
Alias Symbol	AK3, AK4, AK3L1, AK3L2
Other Names	Adenylate kinase 4, mitochondrial {ECO:0000255 HAMAP-Rule:MF_03170}, AK4 {ECO:0000255 HAMAP-Rule:MF_03170}, 2.7.4.10 {ECO:0000255 HAMAP-Rule:MF_03170}, 2.7.4.6 {ECO:0000255 HAMAP-Rule:MF_03170}, Adenylate kinase 3-like {ECO:0000255 HAMAP-Rule:MF_03170}, GTP:AMP phosphotransferase AK4 {ECO:0000255 HAMAP-Rule:MF_03170}, AK4 {ECO:0000255 HAMAP-Rule:MF_03170}
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 100 ul of distilled water. Final anti-AK3L1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	AK3L1 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	AK4 (HGNC:363)
Function	Broad-specificity mitochondrial nucleoside phosphate kinase involved in cellular nucleotide homeostasis by catalyzing nucleoside- phosphate interconversions (PubMed: 19073142 , PubMed: 19766732 , PubMed: 23416111 , PubMed: 24767988). Similar to other adenylate kinases, preferentially catalyzes the phosphorylation of the nucleoside monophosphate AMP with

ATP as phosphate donor to produce ADP (PubMed:[19766732](#)). Phosphorylates only AMP when using GTP as phosphate donor (PubMed:[19766732](#)). In vitro, can also catalyze the phosphorylation of CMP, dAMP and dCMP and use GTP as an alternate phosphate donor (PubMed:[19766732](#), PubMed:[23416111](#)). Moreover, exhibits a diphosphate kinase activity, producing ATP, CTP, GTP, UTP, TTP, dATP, dCTP and dGTP from the corresponding diphosphate substrates with either ATP or GTP as phosphate donors (PubMed:[23416111](#)). Plays a role in controlling cellular ATP levels by regulating phosphorylation and activation of the energy sensor protein kinase AMPK (PubMed:[24767988](#), PubMed:[26980435](#)). Plays a protective role in the cellular response to oxidative stress (PubMed:[19130895](#), PubMed:[23474458](#), PubMed:[26980435](#)).

Cellular Location

Mitochondrion matrix {ECO:0000255 | HAMAP- Rule:MF_03170, ECO:0000269 | PubMed:11485571, ECO:0000269 | PubMed:19766732, ECO:0000269 | PubMed:26980435}


Tissue Location

Highly expressed in kidney, moderately expressed in heart and liver and weakly expressed in brain

References

Noma, T., Biochem. J. 358 (PT1), 225-232 (2001) Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images



WB Suggested Anti-AK3L1 Antibody Titration: 2.5 µg/ml
Positive Control: Jurkat cell lysate

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.