

WDR23 antibody - N-terminal region

Rabbit Polyclonal Antibody

Catalog # AI12134

Product Information

Application	WB, IHC
Primary Accession	Q8TEB1
Other Accession	NM_025230 , NP_079506
Reactivity	Human, Mouse, Rat, Rabbit, Dog, Guinea Pig, Horse, Bovine
Predicted	Human, Mouse, Rat, Dog, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	61670

Additional Information

Gene ID	80344
Alias Symbol	DKFZp779A1629, GL014, PRO2389, WDR23
Other Names	DDB1- and CUL4-associated factor 11, WD repeat-containing protein 23, DCAF11, WDR23
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-WDR23 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	WDR23 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information


Name	DCAF11
Synonyms	WDR23
Function	May function as a substrate receptor for CUL4-DDB1 E3 ubiquitin-protein ligase complex.

References

Heilig,R.,(2003)Nature421(6923),601-607ReconstitutionandStorage:Forshorttermuse,storeat2-8Cupto1week.F

or long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images



Rabbit Anti-DCAF11 Antibody
Formalin Fixed Paraffin Embedded Tissue: Human Adult Liver
Observed Staining: Cytoplasm in hepatocytes, strong signal, moderate tissue distribution
Primary Antibody
Concentration: 1:100
Secondary Antibody: Donkey anti-Rabbit-Cy3
Secondary Antibody
Concentration: 1:200
Magnification: 20X
Exposure Time: 0.5 – 2.0 sec
Protocol located in Reviews and Data.



WB Suggested Anti-WDR23 Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:312500
Positive Control: Human Placenta

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.