

Bfar antibody - middle region

Rabbit Polyclonal Antibody Catalog # AI12239

Product Information

WB
<u>Q8R079</u>
<u>NM_025976</u> , <u>NP_080252</u>
Human, Mouse, Rat, Rabbit, Dog, Guinea Pig, Horse, Bovine
Human, Mouse, Rat, Rabbit, Pig, Chicken, Dog, Horse, Bovine
Rabbit
Polyclonal
52968

Additional Information

Gene ID	67118
Alias Symbol Other Names	3010001A07Rik, AI666707, AW107665, BAR, RNF47, Bar, Rnf47 Bifunctional apoptosis regulator, Bfar
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-Bfar antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	Bfar antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

NameBfarFunctionMembrane-bound E3 ubiquitin ligase that plays a role in several processes
including apoptosis regulation or reticulum endoplasmic stress. Has
anti-apoptotic activity, both for apoptosis triggered via death-receptors and
via mitochondrial factors. Contributes to the dynamic control of IRE1/ERN1
signaling during ER stress by inducing BAX inhibitor 1/TMBIM6 proteasomal
degradation. Promotes the activation of TGF-beta signaling by mediating the
'Lys- 63'-linked ubiquitination of TGFBR1 which is critical to activate the
pathway. Together with NGFR, negatively regulates NF-kappa-B and JNK-
related signaling pathways (By similarity). Promotes the proteasome-
mediated degradation of PNPLA3, a protein involveld in lipid metabolism
(PubMed:<u>38294943</u>).

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.