

SLCO1A2 antibody - middle region

Rabbit Polyclonal Antibody

Catalog # AI12346

Product Information


Application	WB, IHC
Primary Accession	P46721-2
Other Accession	NM_021094 , AAD52694
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Dog, Guinea Pig, Horse, Bovine
Predicted	Human, Pig, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	64 KDa

Additional Information


Alias Symbol	OATP, OATP-A, OATP1A2, SLC21A3
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-SLCO1A2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	SLCO1A2 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Images



Rabbit Anti-SLCO1A2 Antibody
Formalin Fixed Paraffin Embedded Tissue: Human Adult
Liver Observed Staining: Membrane, Cytoplasm in
hepatocytes, very strong, moderate tissue distribution
Primary Antibody
Concentration: 1:100
Secondary Antibody: Donkey anti-Rabbit-Cy3
Secondary Antibody
Concentration: 1:200
Magnification: 20X
Exposure Time: 0.5 2.0 sec
Protocol located in Reviews and Data.



WB Suggested Anti-SLCO1A2 Antibody Titration: 0.2-1
µg/ml
ELISA Titer: 1:312500
Positive Control: PANC1 cell lysate
SLCO1A2 is strongly supported by BioGPS gene
expression data to be expressed in Human PANC1 cells

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.