

CSF1 antibody - N-terminal region

Rabbit Polyclonal Antibody

Catalog # AI12408

Product Information

Application	WB
Primary Accession	Q5VVF3
Other Accession	NM_172210 , NP_757349
Reactivity	Human, Rat, Rabbit, Dog, Guinea Pig
Predicted	Human, Rat, Rabbit, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	45 KDa

Additional Information

Alias Symbol	MCSF, MGC31930, CSF-1
Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Reconstitution & Storage	Add 50 ul of distilled water. Final anti-CSF1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.
Precautions	CSF1 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.



Protein Information

References


West, R.B., (2006) Proc. Natl. Acad. Sci. U.S.A. 103(3), 690-695
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images

WB Suggested Anti-CSF1 Antibody Titration: 0.2-1 µg/ml
Positive Control: Jurkat cell lysate



Rabbit Anti-CSF1 Antibody
 Formalin Fixed Paraffin Embedded Tissue: Human Adult
 liver Observed Staining: Cytoplasmic
 Primary Antibody
 Concentration: 1:600
 Secondary Antibody: Donkey anti-Rabbit-Cy2/3
 Secondary Antibody
 Concentration: 1:200
 Magnification: 20X
 Exposure Time: 0.5 – 2.0 sec
 Protocol located in Reviews and Data.



WB Suggested Anti-CSF1 antibody Titration: 1 µg/ml
 Sample Type: Human liver

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.