

GPR177 antibody - middle region

Rabbit Polyclonal Antibody Catalog # AI12421

Product Information

Application WB Primary Accession Q5T9L3

Other Accession NM 001002292, NP 001002292

Reactivity Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Dog, Guinea Pig, Horse, Bovine

Predicted Chicken
Host Rabbit
Clonality Polyclonal
Calculated MW 62253

Additional Information

Gene ID 79971

Alias Symbol C1orf139, EVI, FLJ23091, MGC131760, MGC14878, MRP, WLS, GPR177

Other Names Protein wntless homolog, Integral membrane protein GPR177, Protein

Protein wntless homolog, Integral membrane protein GPR177, Protein evenness interrupted homolog, EVI, Putative NF-kappa-B-activating protein

373, WLS, C1orf139, GPR177

Format Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium

azide and 2% sucrose.

Reconstitution & Storage Add 50 ul of distilled water. Final anti-GPR177 antibody concentration is 1

mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at

20°C. Avoid repeat freeze-thaw cycles.

Precautions GPR177 antibody - middle region is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name WLS

Synonyms C1orf139, GPR177

Function Regulates Wnt proteins sorting and secretion in a feedback regulatory

mechanism. This reciprocal interaction plays a key role in the regulation of expression, subcellular location, binding and organelle-specific association of

Wnt proteins (PubMed:34587386). Plays also an important role in establishment of the anterior-posterior body axis formation during

development (By similarity).


Cellular Location

Golgi apparatus membrane; Multi-pass membrane protein. Cytoplasmic vesicle membrane; Multi-pass membrane protein. Cell membrane; Multi-pass membrane protein. Endoplasmic reticulum membrane; Multi-pass membrane protein. Golgi apparatus membrane; Multi-pass membrane protein. Early endosome membrane; Multi-pass membrane protein. Note=Co-localizes with the adaptin AP2A2 at distinct punctae.

References

Gregory, S.G., (2006) Nature 441 (7091), 315-321 Reconstitution and Storage: For short termuse, store at 2-8 Cupto 1 week. For long terms to rage, store at 2-20 Cinsmall aliquots to prevent freeze-thaw cycles.

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.